P.04

S.N. 10/654,550 Howard Hooper Atty Dkt 100110809-3



## AMENDMENTS TO THE CLAIMS

Claims 1-22 (Canceled)

303 297 2266

- 23. (Previously Presented) A method comprising: providing a non waste-residue collecting toner cartridge comprising a housing and a photo conductor drum;
- providing a waste-residue converter comprising a waste-residue collection site and a waste-residue remover;

converting said non waste-residue collecting toner cartridge to a wasteresidue collecting toner cartridge by installing said waste-residue converter at least partially within said housing.

- 24. (Previously Presented) The method of claim 23 wherein said installing said waste-residue converter comprises locating an opening in said waste-residue collection site proximate said photo conductor drum.
- 25. (Previously Presented) The method of claim 23 wherein said installing said waste-residue converter comprises operatively associating said waste-residue remover with said photo conductor drum.
- 26. (Previously Presented) The method of claim 23 and further comprising providing a door in said housing.
- 27. (Previously Presented) The method of claim 26 wherein said installing said waste-residue converter comprises inserting said waste-residue converter into said housing through said door.
- 28. (Previously Presented) The method of claim 26 wherein said door is releasably retained in a closed configuration in relation to said housing.

Page 2 of 6

## BEST AVAILABLE COPY

S.N. 10/654,550 Howard Hooper Atty Dkt 100110809-3

APR-01-2005 15:48

- 29. (Previously Presented) The method of claim 23 wherein said waste-residue collection site is a waste-residue hopper.
- 30. (Previously Presented) The method of claim 23 wherein said waste-residue remover is a scraper.
  - 31. (Previously Presented) A toner cartridge comprising:
  - a housing; and
  - a photo conductor drum located at least partially within said housing;
- wherein, said toner cartridge comprises at least a first operating condition and a second operating condition;

wherein, in said first operating condition, a waste-residue collection site is not located within said housing; and

wherein in said second operating condition, a waste-residue collection site is located within said housing.

- 32. (Previously Presented) The toner cartridge of claim 31 wherein, in said second operating condition, said waste-residue collection site comprises an opening proximate said photo conductor drum.
- 33. (Previously Presented) The toner cartridge of claim 31 wherein: in said second operating condition, a waste-residue remover is operably associated with said photo conductor drum; and

in said first operating condition, said waste-residue remover is not operably associated with said photo conductor drum.

34. (Previously Presented) The toner cartridge of claim 31 wherein: said toner cartridge is a non waste-residue collecting toner cartridge in said first operating condition and a waste-residue collecting toner cartridge in said second operating condition.

Page 3 of 6

P.06

303 297 2266

## BEST AVAILABLE COPY

S.N. 10/654,550 Howard Hooper Atty Dkt 100110809-3

- 35. (Previously Presented) The toner cartridge of claim 31 and further comprising a door in said housing.
- 36. (Previously Presented) The toner cartridge of claim 31 wherein said door is releasably retained in a closed configuration in relation to said housing.
- 37. (Previously Presented) The toner cartridge of claim 31 wherein said waste-residue collection site is a waste-residue hopper.
- 38. (Previously Presented) The toner cartridge of claim 33 wherein said waste-residue remover is a scraper.